

## **Home Page**

- Alberts, M. J., Horner, J., Gray, L., & Brazer, S.R. (1992). Aspiration after stroke: lesion analysis by brain MRI. *Dysphagia*, 7, 170–3.
- Daniels, S.D., & Huckabee, M.L. (2008). *Dysphagia Following Stroke*. Plural Publishing: San Diego.
- Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.
- Hatano, S. (1976) Experience from a multicentre stroke register: a preliminary report. *Bulletin of the World Health Organisation*, 54, 541–53.
- Martino, R., Foley, N., Bhogal, S., Diamant, N., Speechley, M., & Teasell, R. (2005). Dysphagia after stroke: incidence, diagnosis, and pulmonary complications. *Stroke*, 36, 2756-2763.
- Ministry of Health. (2010). *New Zealand clinical guidelines for stroke management*. Wellington: NZGG.

## **Neurology and Physiology**

- Alberts, M., Horner, J., Gray, L., & Brazer, S. (1992). Aspiration after stroke: lesion analysis by brain MRI. *Dysphagia*, 7, 170-173.
- Cherney, L.R. (1994). *Clinical management of dysphagia in adults and children*. Gaithersburg: Aspen Publisher.
- Daniels, S.K., & Foundas, A. L. (1999). Lesion localisation in acute stroke patients with risk of aspiration. *Journal of Neuroimaging* , 9, 91-98.
- Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.
- Hamdy, S., & Rothwell, J.C. (1998). Gut feelings about recovery after stroke: the organization and reorganization of human swallowing motor cortex. *ScienceDirect*, 21(7), 278-282. doi:10.1016/S0166 -2236(97)01212-5
- Johnson, E.R., McKenzie, S.W., Rosenquist, C.J., Lieberman, J.S., & Sievers, A.E. (1992). Dysphagia following stroke: quantitative evaluation of pharyngeal transitimes. *Archives of Physical Medicine & Rehabilitation*, 73(5):419–23.
- Leopold, N. A., Kagel, M.C. (1997). Ingestion or Deglutition? A proposed paradigm. *Dysphagia* 12(4), doi: 10.1007/ PL00009537
- Martino, R., Foley, N., Bhogal, S., Diamant, N., Speechley, M., & Teasell, R. (2005). Dysphagia after stroke: incidence, diagnosis, and pulmonary complications. *Stroke*. 36:2756-2763.
- Maurizio, P. (2004). Dysphagia following stroke. *European Neurology*, 51(3), 162-167. doi:10.1159/000077663

Mackay, L. E., Morgan, A. S., & Bernstein, B. A. Swallowing disorders in severe brain injury: risk factors affecting return to oral intake. *Archives of Physical Medicine & Rehabilitation* 1999; 80 (4): 365-71.

Schindler, J. and Kelly, J. (2002). Swallowing disorders in the elderly. *Laryngoscope*, 112, 589-602

### **Co-Morbid Conditions**

Freed, D. (2000). *Motor Speech Disorders: diagnosis and treatment*. Canada: Singular, Thomson Learning.

Groher, M. E., & Crary, M. A. (2010). *Dysphagia : clinical management in adults and children*. Maryland Heights, Mo: Mosby Elsevier.

Stroke Foundation New Zealand Inc. (2003). *Life after stroke: New Zealand guideline for management of stroke*. Wellington: Stroke Foundation New Zealand Inc.

### **Assessment**

Barber, A., Fink, J., Gommans, J., Hanger, C., & Baker, Y. (2006). *New Zealand protocols for the management of stroke and transient ischemic attack*: Stroke Unit Network of New Zealand.

Barber, A., Charleston, A., Anderson, N., Spriggs, D., Bennett, D., Bennett, P., Thomas, K., & Baker, Y. (2004). Changes in stroke care at Auckland hospital between 1996 and 2001. *The New Zealand Medical Journal*, 117 (1190). Retrieved from: <http://www.nzma.org.nz/journal/117-1190/797/>

Cichero, J. (2006). Clinical assessment, cervical auscultation and pulse oximetry. In J. Cichero & B. Murdoch (Eds.), *Dysphagia: Foundation, Theory and Practice*. West Sussex, England: John Wiley & Sons Ltd.

Daniels, S.D., & Huckabee, M.L. (2008). *Dysphagia Following Stroke*. Plural Publishing: San Diego.

Daniels, S. K., Ballo, L. A., Mahoney, M., & Foundas, A. L. (2000). Clinical predictors of dysphagia and aspiration risk: outcome measures in acute stroke patients. *Archives of Physical Medicine & Rehabilitation*, 81, 1030-3. doi: 10.1053/apmr.2000.6301.

Daniels, S. K., Schroeder, M. F., De George, P. C., Corey, D. M., Foundas, A. L., & Rosenbek, J. C. (2009). Defining and Measuring Dysphagia following stroke. *American Journal of Speech-Language Pathology*, 18, 74-81. doi: 1058-0360/09/1801-0074.

Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.

- Heckert, K., Komaroff, E., Adler, U., & Barrett, A. M. (2009). Postacute Reevaluation May Prevent Dysphagia-Associated Morbidity. *Stroke*, 40, 1381-1385. doi: 10.1161/STROKEAHA.108.533489.
- Hiss, S. G., & Postma, G. N. (2003). Fiberoptic endoscopic evaluation of swallowing. *Laryngoscope*, 113, 1386-1393.
- Horner, J., Massey, W., & Brazer, S. R. (1990). Aspiration in bilateral stroke patients. *Neurology*, 40, 1686-1688.
- Langhorne, P., & Pollock, A. (2002). What are the components of effective stroke unit care?. *Age and Ageing*, 31, 365-371.
- Langmore, S. E. (2003). Evaluation of oropharyngeal dysphagia: which diagnostic tool is superior?. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 11, 485-489.
- Manna, A., Wurtzburg, S. J., Huckabee, M. L., & Blake, Te Kahurangi. (2003). Cultural issues influencing dysphagia management practices in New Zealand. *New Zealand Journal of Speech-language Therapy*, 58, 35-46.
- Ministry of Health. (2010). *New Zealand clinical guidelines for stroke management*. Wellington: NZGG.
- Ramsey, D. J. C., & Smithard, D. G. (2005). Assessment and management of dysphagia. In R. White (Ed.), *Stroke: Therapy and rehabilitation* (113-124). London, UK: MA Healthcare Ltd.
- Smith, H. A., Lee, S. H., O'Neil, P. A., & Connolly, M. J. (2000). The combination of bedside swallowing assessment and oxygen saturation monitoring of swallowing in acute stroke: a safe and humane screening tool. *Age and Ageing*, 29, 495-499.
- Smithard, D. G., O'Neil, P. A., Park, C., England, R., Renwick, D. S., Wyatt, R., Morris, J., & Martin, D. F. (1998). Can bedside assessment reliably exclude aspiration following acute stroke?. *Age and Ageing*, 27, 99-106.
- Stroke Foundation New Zealand Inc. (2003). *Life after stroke: New Zealand guideline for management of stroke*. Wellington: Stroke Foundation New Zealand Inc.
- Trapl, M., Enderle, P., Nowotny, M., Teuschl, Y., Matz, K., Dachenhausen, A., & Brainin, M. (2007). Dysphagia bedside screening for acute-stroke patients: the gugging swallowing screen. *Stroke*, 38, 2948-2952. doi: 10.1161/STROKEAHA.107.483933.
- University of Auckland. (2010). *SpchSci721 Dysphagia*. Retrieved from: [http://flexiblelearning.auckland.ac.nz/protected/spchsci721/18\\_7.html](http://flexiblelearning.auckland.ac.nz/protected/spchsci721/18_7.html)

## **Intervention**

Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.

Neumann, S. (1993). Swallowing therapy with neurologic patients: Results of direct and indirect therapy methods in 66 patients suffering from neurological disorders. *Dysphagia*, 8(2), 150-153.

## **Managing Nutrition and Hydration during the Acute Stroke Phase**

Angus, F., & Burakoff, R. (2003). The Percutaneous Endoscopic Gastrostomy Tube: Medical and Ethical Issues in Placement. *American Journal of Gastroenterology*, 98(2), 272-277.

Barber, A., Fink, J., Gommans, J., Hanger, C., & Baker, Y. (2006). *New Zealand protocols for the management of stroke and transient ischemic attack*: Stroke Unit Network of New Zealand.

Gordon, M., & Alibhai, S. M. H. (2004). Ethics of PEG Tubes-Jewish and Islamic Perspectives. *American Journal of Gastroenterology*, 99(6), 1194-1194.

Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.

The FOOD Trial Collaboration. (2005). Effect of timing and method of enteral tube feeding for dysphagic stroke patients (FOOD): a multicentre randomised controlled trial. *Lancet*, 365(9461), 764-772.

## **Managing the Risk of Aspiration During the Acute Stroke Phase**

Loeb, M., McGeer, A., McArthur, M., Walter, S., & Simor, A. E. (1999). Risk Factors for Pneumonia and Other Lower Respiratory Tract Infections in Elderly Residents of Long-term Care Facilities. *Archives of Internal Medicine*, 159(17), 2058-2064.

Sahn, S. A. (1991). Continuous lateral rotational therapy and nosocomial pneumonia. *Chest*, 99(5), 1263-1267.

## **Recommendations for the Future**

Barber, A., Fink, J., Gommans, J., Hanger, C., & Baker, Y. (2006). *New Zealand protocols for the management of stroke and transient ischemic attack*: Stroke Unit Network of New Zealand.

Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.

Neumann, S. (1993). Swallowing therapy with neurologic patients: Results of direct and indirect therapy methods in 66 patients suffering from neurological disorders. *Dysphagia*, 8(2), 150-153.

### **The Team**

Auckland District Health Board. (2003). *Tikanga Recommended Best Practice*. Auckland: Auckland District Health Board. Retrieved from: <http://www.adhb.govt.nz/ResearchOffice/MRRC/tikanga - rbp.html>

Barber, A., Charleston, A., Anderson, N., Spriggs, D., Bennett, D., Bennett, P., Thomas, K., & Baker, Y. (2004). Changes in stroke care at Auckland hospital between 1996 and 2001. *The NZ Medical Journal*, 117 (1190). Retrieved from: <http://www.nzma.org.nz/journal/117-1190/797/>

Barber, A., Fink, J., Gommans, J., Hanger, C., & Baker, Y. (2006). *New Zealand protocols for the management of stroke and transient ischemic attack*: Stroke Unit Network of New Zealand.

Counties Manukau District Health Board. (2010). *Maori Health Provider Services*. Retrieved from: <http://www.cmdhb.org.nz/funded-services/hospital-specialist/Services/Middlemore/maorihealth.htm>

Groher, M. E., & Crary, M. A. (2010). *Dysphagia: Clinical management in adults and children*. Missouri: Mosby Elsevier.

Langhorne, P., & Pollock, A. (2002). What are the components of effective stroke unit care?. *Age and Ageing*, 31, 365-371.

Ministry of Health. (2010). *New Zealand clinical guidelines for stroke management*. Wellington: NZGG.

Stroke Foundation New Zealand Inc. (2003). *Life after stroke: New Zealand guideline for management of stroke*. Wellington: Stroke Foundation New Zealand Inc.

### **Cultural Factors**

Durie, M., H. (1994). *Whaiora: Maori Health Development*. Auckland: Oxford University Press.

U.S Department of Health and Human Services. (2001). *National standards for culturally and linguistically appropriate services in health care*. Rockville: IQ Solutions.